



ELSEVIER

Comput. Methods Appl. Mech. Engrg. 162 (1998) 369–370

---

**Computer methods  
in applied  
mechanics and  
engineering**

---

## Author Index of Volume 162

- Bonet, J. and Burton, A.J. A simple orthotropic, transversely isotropic hyperelastic constitutive equation for large strain computations 151–164
- Bouillard, Ph. and Suleau, S. Element-Free Galerkin solutions for Helmholtz problems: formulation and numerical assessment of the pollution effect 317–335
- Burton, A.J. see Bonet, J. 151–164
- Cao, T. Adaptive H- and H-R methods for Symm's integral equation 1–17
- Chen, Y.Z. Torsion problem of rectangular cross section bar with inner crack 107–111
- Costanzo, F. and Walton, J.R. A numerical solution technique for a class of integro-differential equations in elastodynamic crack propagation problems 19–48
- de Borst, R. see Gutiérrez, M.A. 337–350
- De Donno, M. see Litvin, F.L. 187–201
- Drikakis, D. see Zóltak, J. 165–185
- González, J.L.M.-C. see Mollá, V.M.G. 271–286
- Gutiérrez, M.A. and De Borst, R. Studies in material parameter sensitivity of softening solids 337–350
- Häussler-Combe, U. and Korn, C. An adaptive approach with the Element-Free-Galerkin method 203–222
- Khulief, Y.A. see Mohiuddin, M.A. 223–247
- Korn, C. see Häussler-Combe, U. 203–222
- Li, J. and Navon, I.M. Uniformly convergent finite element methods for singularly perturbed elliptic boundary value problems: convection–diffusion type 49–78
- Li, M. The finite deformation theory for beam, plate and shell. Part III. The three-dimensional beam theory and the FE formulation 287–300
- Litvin, F.L. and De Donno, M. Computerized design and generation of modified spiroid worm-gear drive with low transmission errors and stabilized bearing contact 187–201
- Meek, J.L. and Wang, Y. Nonlinear static and dynamic analysis of shell structures with finite rotation 301–315
- Mermertas, V. Dynamic interaction between the vehicle and simply supported curved bridge deck 125–131
- Mohiuddin, M.A. and Khulief, Y.A. Modal characteristics of cracked rotors using a conical shaft finite element 223–247
- Mollá, V.M.G., González, J.L.M.-C. and Zamora, L.L. Use of high accuracy schemes to handle free surfaces in computing unsteady two-phase flows 271–286
- Narayanan Namboothiri, V.N. and Shunmugam, M.S. Form error evaluation using  $L_1$ -approximation 133–149
- Navon, I.M. see Li, J. 49–78
- Olsen, P.C. The influence of the linearisation of the yield surface on the load-bearing capacity of reinforced concrete slabs 351–358
- Piacentini, A. and Rosa, N. An improved domain decomposition method for the 3D Helmholtz equation 113–124
- Rosa, N. see Piacentini, A. 113–124

- Saad, Y. see Soulaïmani, A. 79-106
- Shunmugam, M.S. see Narayanan Namboothiri, V.N. 133-149
- Soulaïmani, A. and Saad, Y. An arbitrary Lagrangian-Eulerian finite element method for solving three-dimensional free surface flows 79-106
- Suleau, S. see Bouillard, Ph. 317-335
- Walton, J.R. see Costanzo, F. 19- 48
- Wang, Y. see Meek, J.L. 301-315
- Yang, D. Simulation of miscible displacement in porous media by a modified Uzawa's algorithm combined with a characteristic method 359-368
- Yunhua, L. Explanation and elimination of shear locking and membrane locking with field consistence approach 249-269
- Zamora, L.L. see Mollá, V.M.G. 271-286
- Zóltak, J. and Drikakis, D. Hybrid upwind methods for the simulation of unsteady shock-wave diffraction over a cylinder 165-185



ELSEVIER

Comput. Methods Appl. Mech. Engrg. 162 (1998) 371–374

**Computer methods  
in applied  
mechanics and  
engineering**

## Subject Index of Volume 162

### *Boundary element methods*

- Adaptive *H*- and *H*-*R* methods for Symm's integral equation, T. Cao 1–17

### *Coupled problems*

- Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125–131

### *Dynamics*

- Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125–131

### *Elasticity*

- A numerical solution technique for a class of integro-differential equations in elastodynamic crack propagation problems, F. Costanzo and J.R. Walton 19–48  
Torsion problem of rectangular cross section bar with inner crack, Y.Z. Chen 107–111  
A simple orthotropic, transversely isotropic hyperelastic constitutive equation for large strain computations, J. Bonet and A.J. Burton 151–164

### *Finite difference methods*

- Torsion problem of rectangular cross section bar with inner crack, Y.Z. Chen 107–111  
Use of high accuracy schemes to handle free surfaces in computing unsteady two-phase flows, V.M.G. Mollá, J.L.M.-C. González and L.L. Zamora 271–286  
Simulation of miscible displacement in porous media by a modified Uzawa's algorithm combined with a characteristic method, D. Yang 359–368

### *Finite element and matrix methods*

- Uniformly convergent finite element methods for singularly perturbed elliptic boundary value problems: convection–diffusion type, J. Li and I.M. Navon 49–78  
An arbitrary Lagrangian–Eulerian finite element method for solving three-dimensional free surface flows, A. Soulaïmani and Y. Saad 79–106  
Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125–131  
A simple orthotropic, transversely isotropic hyperelastic constitutive equation for large strain computations, J. Bonet and A.J. Burton 151–164  
An adaptive approach with the Element-Free-Galerkin method, U. Häussler-Combe and C. Korn 203–222  
Explanation and elimination of shear locking and membrane locking with field consistence approach, L. Yunhua 249–269  
The finite deformation theory for beam, plate and shell, M. Li 287–300  
Element-Free Galerkin solutions for Helmholtz problems: formulation and numerical assessment of the pollution effect, P. Bouillard and S. Suleau 317–335

- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- The influence of the linearisation of the yield surface on the load-bearing capacity of reinforced concrete slabs, P.C. Olsen 351-358
- Simulation of miscible displacement in porous media by a modified Uzawa's algorithm combined with a characteristic method, D. Yang 359-368
- Fluid mechanics*
- An arbitrary Lagrangian-Eulerian finite element method for solving three-dimensional free surface flows, A. Soulaïmani and Y. Saad 79-106
- Hybrid upwind methods for the simulation of unsteady shock-wave diffraction over a cylinder, J. Zóltak and D. Drikakis 165-185
- Use of high accuracy schemes to handle free surfaces in computing unsteady two-phase flows, V.M.G. Mollá, J.L.M.-C. González and L.L. Zamora 271-286
- Simulation of miscible displacement in porous media by a modified Uzawa's algorithm combined with a characteristic method, D. Yang 359-368
- Fracture mechanics*
- A numerical solution technique for a class of integro-differential equations in elastodynamic crack propagation problems, F. Costanzo and J.R. Walton 19- 48
- Torsion problem of rectangular cross section bar with inner crack, Y.Z. Chen 107-111
- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- Gas dynamics*
- Hybrid upwind methods for the simulation of unsteady shock-wave diffraction over a cylinder, J. Zóltak and D. Drikakis 165-185
- General Rayleigh-Ritz and Galerkin techniques*
- An arbitrary Lagrangian-Eulerian finite element method for solving three-dimensional free surface flows, A. Soulaïmani and Y. Saad 79-106
- An adaptive approach with the Element-Free-Galerkin method, U. Häussler-Combe and C. Korn 203-222
- Graphics*
- Uniformly convergent finite element methods for singularly perturbed elliptic boundary value problems: convection-diffusion type, J. Li and I.M. Navon 49- 78
- Kinematics*
- Computerized design and generation of modified spiroid worm-gear drive with low transmission errors and stabilized bearing contact, F.L. Litvin and M. De Donno 187-201
- Modal characteristics of cracked rotors using a conical shaft finite element, M.A. Mohiuddin and Y.A. Khulief 223-247
- Material physics*
- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- Nonlinear dynamics of systems*
- Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125-131
- Nonlinear static and dynamic analysis of shell structures with finite rotation, J.L. Meek and Y. Wang 301-315



*Nonlinear mechanics*

- A numerical solution technique for a class of integro-differential equations in elastodynamic crack propagation problems, F. Costanzo and J.R. Walton 19- 48
- A simple orthotropic, transversely isotropic hyperelastic constitutive equation for large strain computations, J. Bonet and A.J. Burton 151-164
- The finite deformation theory for beam, plate and shell, M. Li 287-300
- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350

*Numerical solution procedures*

- A numerical solution technique for a class of integro-differential equations in elastodynamic crack propagation problems, F. Costanzo and J.R. Walton 19- 48
- An arbitrary Lagrangian-Eulerian finite element method for solving three-dimensional free surface flows, A. Soulaïmani and Y. Saad 79-106
- An improved domain decomposition method for the 3D Helmholtz equation, A. Piacentini and N. Rosa 113-124
- Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125-131
- Form error evaluation using  $L_1$ -approximation, V.N. Narayanan Namboothiri and M.S. Shunmugam 133-149
- The finite deformation theory for beam, plate and shell, M. Li 287-300
- Simulation of miscible displacement in porous media by a modified Uzawa's algorithm combined with a characteristic method, D. Yang 359-368

*Optimization*

- Form error evaluation using  $L_1$ -approximation, V.N. Narayanan Namboothiri and M.S. Shunmugam 133-149

*Optimization and design of structures*

- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- The influence of the linearisation of the yield surface on the load-bearing capacity of reinforced concrete slabs, P.C. Olsen 351-358

*Plasticity*

- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- The influence of the linearisation of the yield surface on the load-bearing capacity of reinforced concrete slabs, P.C. Olsen 351-358

*Shells and plates*

- Explanation and elimination of shear locking and membrane locking with field consistence approach, L. Yunhua 249-269
- The influence of the linearisation of the yield surface on the load-bearing capacity of reinforced concrete slabs, P.C. Olsen 351-358

*Solution of differential equations*

- Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125-131

*Solutions of ordinary and partial differential equations*

- Torsion problem of rectangular cross section bar with inner crack, Y.Z. Chen 107-111

- An improved domain decomposition method for the 3D Helmholtz equation, A. Piacentini and N. Rosa 113-124
- An adaptive approach with the Element-Free-Galerkin method, U. Häussler-Combe and C. Korn 203-222
- Use of high accuracy schemes to handle free surfaces in computing unsteady two-phase flows, V.M.G. Mollá, J.L.M.-C. González and L.L. Zamora 271-286
- Stability in structural mechanics*
- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- Structural mechanics*
- A numerical solution technique for a class of integro-differential equations in elastodynamic crack propagation problems, F. Costanzo and J.R. Walton 19- 48
- A simple orthotropic, transversely isotropic hyperelastic constitutive equation for large strain computations, J. Bonet and A.J. Burton 151-164
- Explanation and elimination of shear locking and membrane locking with field consistence approach, L. Yunhua 249-269
- The finite deformation theory for beam, plate and shell, M. Li 287-300
- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- The influence of the linearisation of the yield surface on the load-bearing capacity of reinforced concrete slabs, P.C. Olsen 351-358
- Supersonic flow*
- Hybrid upwind methods for the simulation of unsteady shock-wave diffraction over a cylinder, J. Zóltak and D. Drikakis 165-185
- Systems of linear and nonlinear simultaneous equations*
- Dynamic interaction between the vehicle and simply supported curved bridge deck, V. Mermertas 125-131
- Transport phenomena*
- Uniformly convergent finite element methods for singularly perturbed elliptic boundary value problems: convection-diffusion type, J. Li and I.M. Navon 49- 78
- Simulation of miscible displacement in porous media by a modified Uzawa's algorithm combined with a characteristic method, D. Yang 359-368
- Viscoelastic and viscoplastic media*
- Studies in material parameter sensitivity of softening solids, M.A. Gutiérrez and R. de Borst 337-350
- Viscous flow*
- Use of high accuracy schemes to handle free surfaces in computing unsteady two-phase flows, V.M.G. Mollá, J.L.M.-C. González and L.L. Zamora 271-286
- Wave motion*
- An improved domain decomposition method for the 3D Helmholtz equation, A. Piacentini and N. Rosa 113-124
- Use of high accuracy schemes to handle free surfaces in computing unsteady two-phase flows, V.M.G. Mollá, J.L.M.-C. González and L.L. Zamora 271-286
- Element-Free Galerkin solutions for Helmholtz problems: formulation and numerical assessment of the pollution effect, P. Bouillard and S. Suleau 317-335

